

Technical Data Sheet

Miraphen® UV-Sealer for cork

Art. No.: 161

General Information: UV-curing roller Sealer for cork and other elastic floors and veneer by the yard.

Qualities: **Miraphen® UV-Sealer for cork** was developed especially for elastic surfaces. It is emphasized here the high transparency and excellent firing effect. Despite the high elasticity, it can be easily sanded.

Miraphen® UV-Sealer for cork is applied directly to the floor and lends the entire structure a very high elasticity and good sanding properties. In most cases, using Miraphen UV-Hydro Primer beforehand is not necessary.

Miraphen® UV-Sealer for cork corresponds to DIN 4102, B1 non-readily ignitable as well as DIN 68861, 1B, chemically resistant.

Miraphen® UV-Sealer for cork is free of solvents and is especially environmental friendly.

Treatment: **Miraphen® UV-Sealer for cork** is applied with a smooth, hard rubber roller. Immediately after application, gelled at a belt speed of 12m/min with 1 Hg lamp (80 watts) half load or at 18m/min with 1 Hg lamp (80 watts) can be fully cured. An intermediate sanding (i.e. Grit 280) is possible

As a precautionary measure, we recommend wearing rubber gloves and protective glasses.

Applied quantity: approx. 20-50 g/sqm

Viscosity: 20°C DIN 4mm: ~45 Sec.

Shelf life: 6 months in original, unopened canister.

Dangerous Goods Classification:

Please notice our actual Material Safety Data Sheet

Klumpp Coatings manufactures premium quality finishing materials for use in controlled environments utilizing suitable application technologies. It is the user's responsibility to verify product compliance with all applicable regulations or permits before proceeding with use. The user must always pre-test finishing products to verify suitability to the desired use before proceeding with any application. Manufacturer makes no warranties, express or implied, including (but not limited to) warranties of merchantability and fitness for particular purposes. Manufacturer will not be liable for any incidental, consequential or special damages or losses derived, directly or indirectly, from or as a consequence of purchaser's use of this product. Performance data is based upon laboratory testing conducted by Klumpp Coatings as applied under ideal laboratory conditions. Since substrate, environment and application are all significant factors in actual product performance, this information should serve only as a general guide and customers should conduct appropriate performance testing on production substrate samples to verify suitability to the desired use. (July 2009)